| Supplier's name or trade mark: Beko   |   |      |  |   |            |         |
|---|---|------|--|---|------------|---------|
| Supplier's address: Arçelik A.Ş. Karaağaç Caddesi No:2-6,34445, Sütlüce Beyoğlu/İstanbul  |   |      |  |   |            |         |
| Model identifier: CMXD 9100 457100006700  |   |      |  |   |            |         |
| General product parameters:   |   |      |  |   |            |         |
| Parameter   | Value   |      | Parameter  | Value   |            |         |
| Rated capacity (kg)   | 9,0   |      | Dimensions in cm   | Height<br>Width   | 84,5<br>60 |         |
|   |   |      |  | Depth   | 58         |         |
| Energy efficiency index (EEI <sub>w</sub> )   | 51,5  |      | Energy efficiency class  | А   |            |         |
| Washing efficiency index  | 1,031   |      | Rinsing effectiveness (g/kg)   | 4,9   |            |         |
| Energy consumption in kWh per cycle, based on the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used. | 0,490   |      | Water consumption in litre per cycle, based on the eco 40-60 programme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water. | 49  |            |         |
| Maximum temperature inside the treated textile (°C)   | Rated capacity  | 33   |  |   |            |         |
|   | Half 30   |      | Weighted remaining moisture content (%)  | 62,9  |            |         |
|   | Quarter   | 24   | 1  |   |            |         |
| Spin speed (rpm)  | Rated capacity  | 1000 |  |   |            |         |
|   | Half 1000   |      | Spin-drying efficiency class   | С   |            |         |
|   | Quarter   | 1000 |  |   |            |         |
| Programme duration (h:min)  | Rated capacity 3:48  Half 2:53  |      | Туре   | Free-Standing   |            |         |
|   |   |      |  |   |            | Quarter |
|   | Airborne acoustical noise emissions in the spinning phase (dB(A) re 1 pW) | 72   |  | Airborne acoustical noise emission class (spinning phase) | А          |         |
| Off-mode (W) (if applicable)  | 0,50  |      | Standby mode (W) (if applicable)   | 0,50  |            |         |
| Delay start (W) (if applicable)   | 4,00  |      | Networked standby (W) (if applicable)  | 0,00  |            |         |
| Minimum duration of the guarantee offered by the supplier :   |   |      | 24 months  |   |            |         |
| This product has been designed to release silver ions during the washing cycle  |   |      | NO   |   |            |         |
| Additional information:   |   |      | •  |   |            |         |
| Weblink to the supplier's website, wh 2019/2023 is found: https://www.be  |   |      | point 9 of Annex II to Commission Reg  | ulation (EU   | )          |         |