

Supplier's name or trade mark: ARÇELİK

Supplier's address : Arçelik Pazarlama A.Ş. Caferağa Mah. Albay Faik Sözdener Cd. No:19 Kadıköy / İstanbul

Model identifier: 9100 M 7150241700

General product parameters:

| Parameter | Value | Parameter | Value | | |
|--|----------------|---|--------------------------------|----------------|----|
| Rated capacity (kg) | 9,0 | Dimensions in cm | Height | 84 | |
| | | | Width | 60 | |
| | | | Depth | 64 | |
| EEL _w | 59,5 | Energy efficiency class | B | | |
| Washing efficiency index | 1,04 | Rinsing effectiveness (g/kg) | 4,9 | | |
| Energy consumption in kWh per cycle, based on the eco 40-60 programme. Actual energy consumption will depend on how the appliance is used. | 0,566 | Water consumption in litre per cycle, based on the eco 40-60 programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water. | 49 | | |
| Maximum temperature inside the treated textile (°C) | Rated capacity | 35 | Remaining moisture content (%) | Rated capacity | 62 |
| | Half | 35 | | Half | 62 |
| | Quarter | 24 | | Quarter | 62 |
| Spin speed (rpm) | Rated capacity | 1000 | Spin-drying efficiency class | C | |
| | Half | 1000 | | | |
| | Quarter | 1000 | | | |
| Programme duration (h:min) | Rated capacity | 3:48 | Type | Free-Standing | |
| | Half | 2:53 | | | |
| | Quarter | 2:53 | | | |
| Airborne acoustical noise emissions in the spinning phase (dB(A) re 1 pW) | 72 | Airborne acoustical noise emission class (spinning phase) | A | | |
| Off-mode (W) | 0,50 | Standby mode (W) | 1,00 | | |
| Delay start (W) (if applicable) | 4,00 | Networked standby (W) (if applicable) | NA | | |

Minimum duration of the guarantee offered by the supplier : 24 months

This product has been designed to release silver ions during the washing cycle NO

Additional information:

Weblink to the supplier's website, where the information in point 9 of Annex II to Commission Regulation (EU) 2019/2023 is found: **N/A**