Energy Efficiency Class A Fluid Dynamic Efficiency (FDE hood) 30 Fluid Dynamic Efficiency Class A Lighting Efficiency (LE hood) (lux/watt) 32 Lighting Efficiency Class A Grease Filtering Efficiency 76 Grease Filtering Efficiency Class C Air flow (m³/h) (min. and max. setting) 220-4 Air flow (m³/h) (boost setting) 70 Sound power level (dB) (min. and max. setting) 44-6i				
Brand ARÇELIK Model ADE 606-2 D Annual Energy Consumption(AEC hood)(kWh/a) 58,5 Energy Efficiency Class A Fluid Dynamic Efficiency (FDE hood) 30 Fluid Dynamic Efficiency Class A Lighting Efficiency (LE hood) (lux/watt) 32 Lighting Efficiency Class A Grease Filtering Efficiency 76 Grease Filtering Efficiency Class C Air flow (m³/h) (min. and max. setting) 220-4 Air flow (m³/h) (boost setting) 720 Sound power level (dB) (min. and max. setting) 44-6 Sound power level (dB) (boost setting) 70 Measured power consumption in standby mode (Ps) (W) 0,25	PRODUCT FICHE			
Model ADE 606-2 D Annual Energy Consumption (AEC hood)(kWh/a) 58,5 Energy Efficiency Class A Fluid Dynamic Efficiency (FDE hood) 30 Fluid Dynamic Efficiency Class A Lighting Efficiency (LE hood) (lux/watt) 32 Lighting Efficiency Class A Grease Filtering Efficiency 76 Grease Filtering Efficiency Class C Air flow (m³/h) (min. and max. setting) 220-4 Air flow (m³/h) (boost setting) 720 Sound power level (dB) (min. and max. setting) 44-6 Sound power level (dB) (boost setting) 70 Measured power consumption in standby mode (Ps) (W) 0,25	Energy Label Directive EU2010/30/EU-No65/2014 of range hoods			
Annual Energy Consumption (AEC hood) (kWh/a) 58,5 Energy Efficiency Class A Fluid Dynamic Efficiency (FDE hood) 30 Fluid Dynamic Efficiency Class A Lighting Efficiency (LE hood) (lux/watt) 32 Lighting Efficiency Class A Grease Filtering Efficiency Class C Air flow (m³/h) (min. and max. setting) 220-4 Air flow (m³/h) (boost setting) 720 Sound power level (dB) (min. and max. setting) 44-6i Sound power level (dB) (boost setting) 70 Measured power consumption in standby mode (Ps) (W) 0,25	Brand	ARÇELİK		
Energy Efficiency Class A Fluid Dynamic Efficiency (FDE hood) 30 Fluid Dynamic Efficiency Class A Lighting Efficiency (LE hood) (lux/watt) 32 Lighting Efficiency Class A Grease Filtering Efficiency 76 Grease Filtering Efficiency Class C Air flow (m³/h) (min. and max. setting) 220-4 Air flow (m³/h) (boost setting) 720 Sound power level (dB) (min. and max. setting) 44-6 Sound power level (dB) (boost setting) 70 Measured power consumption in standby mode (Ps) (W) 0,25	Model	ADE 606-2 D		
Fluid Dynamic Efficiency (FDE hood) 30 Fluid Dynamic Efficiency Class A Lighting Efficiency (LE hood) (lux/watt) 32 Lighting Efficiency Class A Grease Filtering Efficiency 76 Grease Filtering Efficiency Class C Air flow (m³/h) (min. and max. setting) 220-4 Air flow (m³/h) (boost setting) 720 Sound power level (dB) (min. and max. setting) 44-6i Sound power level (dB) (boost setting) 70 Measured power consumption in standby mode (Ps) (W) 0,25	Annual Energy Consumption(AEC hood)(kWh/a)		58,5	
Fluid Dynamic Efficiency Class A	Energy Efficiency Class		А	
Lighting Efficiency (LE hood) (lux/watt) 32 Lighting Efficiency Class A Grease Filtering Efficiency 76 Grease Filtering Efficiency Class C Air flow (m³/h) (min. and max. setting) 220-4 Air flow (m³/h) (boost setting) 720 Sound power level (dB) (min. and max. setting) 44-6 Sound power level (dB) (boost setting) 70 Measured power consumption in standby mode (Ps) (W) 0,25	Fluid Dynamic Efficiency (FDE hood)		30	
Lighting Efficiency Class A Grease Filtering Efficiency 76 Grease Filtering Efficiency Class C Air flow (m³/h) (min. and max. setting) 220-4 Air flow (m³/h) (boost setting) 720 Sound power level (dB) (min. and max. setting) 44-6 Sound power level (dB) (boost setting) 70 Measured power consumption in standby mode (Ps) (W) 0,25	Fluid Dynamic Efficiency Class		Α	
Grease Filtering Efficiency 76 Grease Filtering Efficiency Class C Air flow (m³/h) (min. and max. setting) 220-4 Air flow (m³/h) (boost setting) 720 Sound power level (dB) (min. and max. setting) 44-6i Sound power level (dB) (boost setting) 70 Measured power consumption in standby mode (Ps) (W) 0,25	Lighting Efficiency (LE hood) (lux/watt)		32	
Grease Filtering Efficiency Class C Air flow (m³/h) (min. and max. setting) 220-4 Air flow (m³/h) (boost setting) 720 Sound power level (dB) (min. and max. setting) 44-6i Sound power level (dB) (boost setting) 70 Measured power consumption in standby mode (Ps) (W) 0,25	Lighting Efficiency Class		Α	
Air flow (m³/h) (min. and max. setting) 220-4: Air flow (m³/h) (boost setting) 720 Sound power level (dB) (min. and max. setting) 44-6i Sound power level (dB) (boost setting) 70 Measured power consumption in standby mode (Ps) (W) 0,25	Grease Filtering Efficiency		76	
Air flow (m³/h) (boost setting) Sound power level (dB) (min. and max. setting) 44-6i Sound power level (dB) (boost setting) 70 Measured power consumption in standby mode (Ps) (W) 0,25	Grease Filtering Efficiency Class		С	
Sound power level (dB) (min. and max. setting) 44-6i Sound power level (dB) (boost setting) 70 Measured power consumption in standby mode (Ps) (W) 0,25	Air flow (m³/h) (min. and max. setting)		220-445	
Sound power level (dB) (boost setting) 70 Measured power consumption in standby mode (Ps) (W) 0,25	Air flow (m³/h) (boost setting)		720	
Measured power consumption in standby mode (Ps) (W) 0,25	Sound power level (dB) (min. and max. setting)		44-60	
	Sound power level (dB) (boost setting)		70	
Measured power consumption off mode (Po)(W)	Measured power consumption in standby mode (Ps) (W)		0,25	
	Measured power consumption off mode (Po)(W)		-	

7704330104 185373494 AA en_US

INSTRUCTION BOOKLET			
Information for domestic range hoods			
Comply with EU directive 2009/125/EC Regulation No 66/2014			
Brand	ARÇELİK		
Model	ADE 606-2 D		
Annual Energy Consumption(AEC hood)(kWh/a)		58,5	
Time increase factor (f)		0,9	
Fluid Dynamic Efficiency (FDE hood)		30	
Energy Efficiency Index (EEI hood)		54	
Measured air flow rate at best efficiency point (QBEP) (m³/h)		407,2	
Measured air pressure at best efficiency point (PBEP) (Pa)		433,5	
Maximum air flow (Q max) (m³/h)		720	
Measured electric power input at best efficiency point(WBEP) (W)		162,4	
Nominal power of the lighting system (WL)(W)		5.5	
Average illumination of the lighting system on the cooking surface (E middle)(lux)		175	
Measured power consumption in standby mode (Ps) (W)		0,25	
Measured power consumption off mode (Po)(W)		-	
Sound power level (LWA)(dB)		60	

7704330104 185373494 AA en_US