

PRODUCT FICHE

Energy Label Directive EU2010/30/EU-No65/2014 of range hoods		
Brand	ARÇELİK	
Model	ADE 605 HB1	
Mass of the appliance(M) (Net Weight) kg	9.40	
Annual Energy Consumption(AEC hood)(kWh/a)	58,9	
Energy Efficiency Class	D	
Fluid Dynamic Efficiency (FDE hood)	8,5	
Fluid Dynamic Efficiency Class	E	
Lighting Efficiency (LE hood) (lux/watt)	37,3	
Lighting Efficiency Class	A	
Grease Filtering Efficiency	56	
Grease Filtering Efficiency Class	E	
Air flow (m ³ /h) (min. and max. setting)	180-370	
Air flow (m ³ /h) (boost setting)	-	
Sound power level (dB) (min. and max. setting)	49-62	
Sound power level (dB) (boost setting)	-	
Measured power consumption in standby mode (Ps) (W)	-	
Measured power consumption off mode (Po)(W)	-	

7704330121 185374457 AA en_US

INSTRUCTION BOOKLET	
Information for domestic range hoods	
Comply with EU directive 2009/125/EC Regulation No 66/2014	
Brand	ARÇELİK
Model	ADE 605 HB1
Annual Energy Consumption(AEC hood)(kWh/a)	58,9
Time increase factor (f)	1,7
Fluid Dynamic Efficiency (FDE hood)	8,5
Energy Efficiency Index (EEI hood)	88,2
Measured air flow rate at best efficiency point (QBEP) (m ³ /h)	196
Measured air pressure at best efficiency point (PBEP) (Pa)	136
Maximum air flow (Q max) (m ³ /h)	370
Measured electric power input at best efficiency point(WBEP) (W)	87
Nominal power of the lighting system (WL)(W)	6,7
Average illumination of the lighting system on the cooking surface (E middle)(lux)	250
Measured power consumption in standby mode (Ps) (W)	-
Measured power consumption off mode (Po)(W)	-
Sound power level (LWA)(dB)	62

7704330121 185374457 AA en_US